

- La Cecilia, O., 282
 Lagchner, A.N., 92
 Lai, Y.F., 374
 Lakshmi, B., 130
 Lampl, Y., 310
 Langford, J.R., 388
 Lateef, F., 349
 Latimer, C., 287
 Lavoie, A., 170
 Lee, C.-Y., 380
 Leese, P.T., 275
 Li, J., 10
 Lilienstein, D., 473
 Lin, C.-C., 66
 Lin, J.-L., 66
 Lin, T.-H., 380
 Lin, X.-Z., 79
 Lindbeck, G., 613
 Litovitz, T.L., 391
 Little, K.J., 568
 Liu, S.-F., 374
 Locascio, E., 583
 Lorberboym, M., 310
 Louis-Simonet, M., 497
 Lynch, R.M., 55
 Mandell, M., 618
 Mandl, K., 384
 Manfredini, R., 282
 Manzoli, N., 371
 Marco, C.A., 207
 Matsuyama, T., 381
 Mattu, A., 238, 243, 252,
 314, 638
 May, M.E., 391
 Mayanagi, K., 376
 McCabe, C., 352
 McErlean, M., 71, 99, 177
 McErlean, M., 580
 McKay, M.P., 32
 McLaughlin, S., 103
 McLean, S.A., 1
 Meggs, W., 583
 Michelini, V., 282
 Milano, P.M., 71, 99
 Miller, M.D., 50, 114, 234,
 484, 544
 Mishok, K., 558
 Montecchia, F., 495
 Morris, R.W., 14
 Moulin, A., 382
 Muellenman, R.L., 506
 Mulder, D., 170
 Mühlner, M., 92
 Murakami, Y., 136, 137
 Mycyk, M.B., 67
 Nakamura, Y., 64, 376
 Nashed, A.H., 39
 Nathanson, A., 155
 Navitsky, R.C., 103
 Nelson, L.S., 263
 Newland, K.D., 67
 Nishihara, F., 291
 Nogami, K., 381
 Nomura, J.T., 624
 Norio, H., 528
 Noseworthy, T.W., 18
 Novkov, H., 122
 Nuss, R., 74
 Offerman, S.R., 595
 Ohba, S., 376
 Ohmizo, H., 378
 Okada, Y., 528
 Okamoto, K., 528
 Oktay, C., 492
 Okuchi, K., 381
 Olson, K.R., 212
 Omslaer, J.C., 391
 Ortiz, O., 372
 Orzincolo, C., 371
 Overpeck, M.D., 181
 Padilla, R.B., 569
 Paoloni, R., 604
 Pasqual, R.G., 502
 Patel, H., 340
 Patel, M.M., 212
 Patel, S., 144
 Penello, D., 26
 Peredy, T.R., 541
 Perkins, S.D., 469
 Perron, A.D., 35, 43, 50, 114,
 234, 238, 243, 252, 314,
 484, 544, 609, 613, 638
 Peter, D.J., 562
 Pipas, L., 635
 Pitetti, R., 271
 Politis, J.F., 580
 Pollack, M.L., 569
 Powell, S.M., 544
 Powers, R.D., 541
 Primavera, A., 570
 Prologo, J.D., 5
 Pugh, M., 127
 Raccio-Robak, N., 71, 99
 Ramanujam, P., 575
 Randino, A., 133
 Rassam, S., 570
 Raveh, D., 112
 Ravussin, P., 57
 Recker, D.P., 275
 Reeder, T., 370, 583
 Reilly, B.A., 568
 Reischel, U., 39
 Rhinehardt, J., 638
 Richman, P.B., 39, 618
 Riggs, R.L., 618
 Ringvall, E., 196, 588
 Ripley, A., 35
 Ripper, J.R., 541
 Rivelli, R.J., 35, 609
 Roccatagliata, L., 570
 Rodenberg, H., 481
 Rodgers, G.C., Jr., 391
 Rodriguez, A., 558
 Rosenbaum, J., 151
 Rossi, M.W., 181
 Roth, M.M., 298
 Roth, S., 30
 Rowe, B.H., 18
 Rudensky, B., 112
 Rugwani, R.M., 383
 Sacchetti, A., 30
 Sachs, C.
 Sadeh, M., 310
 Saez, M.J., 453
 Saito, R., 64, 376
 Saito, S., 291
 Sakamoto, T., 528
 Sampalis, J.S., 170
 Sanderov, B., 372
 Sara, M.J., 453
 Sarasin, F.P., 497
 Sato, A., 136, 137
 Sato, R.L., 624
 Satonik, R.C., 58
 Schaefer, N., 635
 Schears, R.M., 207
 Scheidt, P.C., 181
 Schiavone, F., 385
 Schlenker, M.K., 62
 Schutte, W.P., 506
 Scott, J.P., 562
 Sesma, J., 453
 Shamji, T.
 Shannon, M., 384
 Shen, S.-H., 551
 Shiesh, S.-C., 79
 Shih, C.-L., 627
 Shimada, H., 291
 Sierzenski, P.R., 218, 344
 Silka, P.A., 298
 Silver, W., 287
 Simon, H.K., 518
 Simonato, M., 371
 Singer, A.J., 385
 Sivakumar, R., 388
 Sivaramalingam, M., 55
 Slama, S., 497
 Sloan, E.P., 188
 Slutsky, O., 572
 Snow, J.L., 624
 Sobel, R.M., 126, 336
 Soldati, G., 132
 Soltis, R.M., 541
 Somers, M.P., 243, 252
 Srinivasa, R., 570
 Stalnikowicz, R., 133, 488
 Starke, M., 196, 588
 Stein-Spencer, L., 14
 Steliu, J., 282
 Stettbacher, A., 295
 Stout, P.K., 535
 Su, S., 627
 Summers, R.L., 524
 Sussman, G., 151
 Suyehara, D., 23
 Swor, R.A., 502
 Syverud, S.A., 35, 609
 Szilagyi, P.G., 83, 139
 Talbot-Stern, J., 604
 Talwalker, S., 275
 Tamim, H., 170
 Tanen, D.A., 521
 Temmel, A.F., 92
 Tenenbein, M., 128
 Teshima, S., 137
 Theodoro, D., 105, 218
 Thode, H.C., Jr., 385
 Tiu, C.-M., 551
 Tobe, K., 291
 Todd, K.H., 126
 Tomasini, A., 133
 Tran, T.P., 506
 Trocinski, D.R., 521
 Trzeciak, S., 188
 Tsafirir, A., 488
 Tsai, J.H.J., 135
 Tsai, W.D., 135
 Tsutaoka, B.T., 212
 Tucker, J., 583
 Turnipseed, S.D., 510
 Ullman, E.A., 35, 609
 Unger, P.-F., 497
 Velez, J., 43
 Venteicher, R., 88
 Verdile, V.P., 71, 99, 177
 Vesco, J.A., 568
 Vetter, R.S., 68
 Viccellio, A.W., 385
 Vincentelli, G.M., 332
 Vivani, M., 133
 Vizioli, T.L., 69
 Waagstein, L., 196, 588
 Wadman, M.C., 506
 Wang, T.-L., 368
 Warden, T., 30
 Warren, R., 352
 Watkins, H.C., 562
 Wells, B.L., 69
 Wharton, D.R., 535
 White, R.S., 388
 Whyte, I.M., 377
 Wiater, J.G., 502
 Wiebe, R.A., 469
 Wilson, D.E., 18
 Wilson, L., 572
 Wilson, L.D., 303
 Wojcik, J.F., 535
 Woolf, A.D., 391
 Wright, J.L., 181
 Wu, C.-C., 374
 Wu, J., 544
 Yakobi-Shvili, R., 367
 Yamada, Y., 136
 Yamamoto, L.G., 624
 Yamauchi, H., 136, 137
 Yamda, Y., 137
 Yasuda, M., 136, 137
 Yen, D.H.T., 118
 Yinnon, A.M., 112
 Yokota, T., 136, 137
 Yoo, I.S., 62, 327
 Yoshioka, A., 381
 Youniss, J., 391
 Yu, C., 551
 Zahger, D., 572
 Zanotti, C., 282
 Zautcke, J.L., 14
 Zimmers, T., 340
 Zun, L.S., 151, 473

INDEX TO VOLUME 20

Subjects

- Abdominal crisis, perforation of ileal lymphoma (letter), 136–137
Abdominal pain, acute
 total antioxidant capacity and malondialdehyde in, 79–82
 visual analog scale for, ED, 287–290
Abdominal surgery, emergency, sigmoid mesocolic hernia (letter), 137–138
Accidental falls, rooftops, after heavy snowfall, 635–637
Acetazolamide, single oral dose, anaphylactic shock and pulmonary edema after (letter), 371–372
Aconitine, acute poisoning, reversed by charcoal hemoperfusion (letter), 66–67
Acromioclavicular joint radiographs, emergency physician ordering of, 541–543
Adenosine, ventricular flutter induced by, ethanol-intoxicated patient (letter), 135–136
Administrative barriers, test ordering, emergency physicians, 541–543
Advance directives, resuscitation, societal opinions on, 207–211
Airway training, emergencies, human-dynamic simulator for, 495
Albuterol, effect on prehospital patient parameters, 481–483
Alcohol abuse
 geriatric, injury patterns and, 14–17
 traumatic injuries caused by hazing and, 228–233
Altered mental status, evaluation in the ED, 613–617
Alternative medicine, patients' self-treatment, before presenting to ED, 473–475
Altitude, high, aging trekkers, physical condition, accidents and, 291–294
Aluminum phosphide, poisoning, methemoglobinemia with (letter), 130–132
Ambulance
 motor vehicle crashes, fire department response to scene, 580–582
 patients transported by, predicting life-threatening disease or death, 588–594
American Association of Poison Control Centers (AAPCC) Toxic Exposure Surveillance System, 2001 Annual Report, 391–452
Amnesia, ED patients, brain SPECT evaluation after mild head trauma, 310–313
Amphetamines, abuse, massive intracerebral hematoma and extradural hematoma (letter), 55–57
Analgesia
 isolated lower limb injuries, pain management, 502–505
 parenteral, combined sedative use, ED patients in the U. S., 83–87, 139–143
 patterns of use, trauma patients in the ED, 298–302
Anaphylactic shock, acute pulmonary edema, after single oral dose of acetazolamide (letter), 371–372
Angiography, thoracic, blunt aortic injury, 558–561
Angiosarcoma, pleuropulmonary, massive hemoptysis and hemothorax with (letter), 374–375
Ankle, acute injuries, patient satisfaction and outcomes after, 18–22
Aorta, blunt injury, helical CT diagnosis, 558–561
Aortic aneurysm, dissecting, presenting with unconsciousness (letter), 58
Aortography, blunt aortic injury, 558–561
Arterial hypertension, active epistaxis and, ED presentation, 92–95
Arthritis, pyogenic, fight bite injuries and, 114–117
Atlanto-occipital dislocation, traumatic (letter), 133–135
Atrial flutter, pacemaker interrogation/reprogramming, ED, 336–339
Attributable risk, smoking-related illness, impact in ED, 161–164
Babesiosis hemolysis, life-threatening hypotension from (letter), 367
Bacteremia, febrile children with UTI, utility of blood cultures in, 271–274
Behavior, after ketamine sedation, age-based comparison, 463–468
Bioterrorism, detection, web-based decision support tool for (letter), 384–385
Bite injuries
 human, orthopedic pitfalls in the ED, 114–117
 snake, crotalid Fab antivenin, repeated administration of (letter), 572
Bradycardia, symptomatic, 340–343
Brain injury, traumatic, prevalence in ED population, 177–180
Bronchospasm, levalbuterol, effect on prehospital patient parameters, 481–483
Bulgaria, emergency health services in, 122–125
Bupropion, sustained release, overdose and treatment (letter), 388–389
Burns, chemical, misdiagnosed as brown recluse spider bite (letter), 68–69
Carbon dioxide, end-tidal, intra-aortic occlusion balloon, CPR, pig, 453–462
Carbon monoxide, intoxication, severe reversible left ventricular dysfunction and (letter), 572–573
Cardiac arrest
 calendar patterns in occurrence of, 513–517
 societal opinions on CPR, 207–211
Cardiac events, acute psychosocial stress and, 488–491
Cardiopulmonary resuscitation (CPR)
 external thoracic compressions, effect of intra-aortic occlusion balloon, pig, 453–462
 societal opinions on, 207–211
Cardiototoxicity, lithium overdose, hemodialysis reversal of (letter), 67–68
Cardioversion, treatment, wide-QRS complex tachycardia during pregnancy (letter), 492–493
Carotid artery dissection, stroke and, airbag injury (letter), 372–374
Carpometacarpal joint, multiple dislocation (letter), 264–265
Cerebral hemorrhage, prediction of outcome, specific patient variables, 26–29
Cerebral perfusion pressure, intra-aortic occlusion balloon, thoracic compression during CPR, pig, 453–462
Charcoal hemoperfusion, reversal of acute aconitine poisoning (letter), 66–67
Chest pain
 ambulance transported patients, predicting life-threatening disease or death, 588–594
 ECG ST segment elevation in, AMI and non-AMI syndromes, 609–612
 electrocardiographic ST segment elevation, acute MI, 35–38
Children. *see* Pediatrics
Child safety seat, physician knowledge of, 32–34
Cholesterol, screening, ED-based chest pain unit, 510–512
Chronobiology, variation in emergency medical calls, implications for the ED, 282–286

- Circadian rhythms, variation in emergency medical calls, implications for the ED, 282–286
- Clinical practice guidelines, evidence-based, acute ankle injuries, 18–22
- Cognitive impairment, elderly ED patients, multidimensional assessment, 332–335
- Communications, Maritime radio-medical services, Singapore General Hospital experience, 349–351
- Computed tomography (CT)
- colon diverticulitis diagnosed by, ED, 551–557
 - head, ED utilization in poisoned patients, 212–217
 - helical, diagnosis of blunt aortic injury, 558–561
 - protocol driven, stab wounds of the head, 295–297
 - spiral, primary screening of multiple trauma, 528–534
- Computerization, feasibility in the ED, 118–121
- Computer simulation, resource reallocation, emergency medical services, 627–634
- Congestive heart failure, treatment by paramedics, standing field treatment protocols, 23–25
- Contrast agents, intravenous, use in metformin patients (letter), 374
- Coronary perfusion pressure, intra-aortic occlusion balloon, thoracic compression during CPR, pig, 453–462
- Coronary syndrome, acute
- assessment by dispatchers and ambulance crew, 196–201
 - prognosis, ambulance transported patients, 588–594
- Corpus luteum, hemorrhagic, presenting as acute gastroenteritis (letter), 133
- Costs, parental expectations of, tertiary care pediatric ED, 601–603
- COX-2 specific inhibitor, valdecoxib, platelet function and, 275–281
- C-reactive protein, in acute abdominal pain, 79–82
- Crotalid Fab antivenin, repeated administration in same patient (letter), 572
- Cul-de-sac of Douglas, in ectopic pregnancy, 1–4
- Curricula, research training, pediatric emergency medicine fellows, 222–227
- Data collection, injury surveillance, ED, 181–187
- Demographics, changing, ED utilization, 583–587
- Depression
- elderly ED patients, validation of a brief screening tool, 99–102
 - elders, socioeconomic and health status differences, 71–73
- Dextromethorphan, false-positive phencyclidine testing with HPLC and (letter), 61–62
- Diabetes, insulin-dependent, focal neurological defects, child (letter), 567–568
- Diagnosis
- differential
 - prominent T wave, ECG, 243–251
 - T-wave inversion, ECG, chest pain patient, 252–262
 - ectopic pregnancy, progesterone as predictor of, 575–579
 - interpretation of ECG, emergency medicine and internal medicine residents, 188–195
 - occult hip fracture, ED, 234–237
 - urinary tract infection, reagent strips in, high-risk population, 112–113
- variable approach, suspected pulmonary embolism, ED, 5–9
- Wellens' syndrome, ECG manifestations, 638–643
- Diazepam, rectal gel, stability, ambulance-like environments, 88–91
- Dientamoeba fragilis*, significant pathogen (letter), 62–63
- Diphenhydramine, overdose, use of physostigmine in (letter), 569–570
- Dislocation, multiple carpometacarpal joint (letter), 264–265
- Diverticular disease, CT diagnosis, ED, 551–557
- Diverticulitis, CT diagnosis, ED, 551–557
- Droperidol, intramuscular, treatment of acute migraine, 39–42
- Drug overdose. *see also* Substance abuse
- bupropion, sustained release (letter), 388–389
 - diphenhydramine, use of physostigmine in (letter), 569–570
 - hydrochloroquine (letter), 377–378
 - risperidone, respiratory depression after (letter), 570
 - use of head CT, ED, 212–217
- Dural sinus thrombosis, ED (letter), 568–569
- Dyspnea, acute onset, young woman, ovarian hyperstimulation syndrome and (letter), 63–64
- Echocardiography, emergency, dissection of proximal thoracic aorta, 344–348
- Economy class syndrome, graduated compression stocking use in (letter), 378–380
- Ectopic pregnancy. *see* Pregnancy
- Education
- airway training, new human-dynamic simulator for (letter), 495
 - physician knowledge of child safety seats, 32–34
 - research training, pediatric emergency medicine fellows, 222–227
- Elderly patients. *see* Geriatrics
- Electrocardiography (ECG)
- baseline ST-vector magnitude, suspected acute myocardial infarction, 535–540
 - cases, 340–343
 - interpretation, emergency medicine and internal medicine residents, 188–195
 - manifestations of hypothermia, 314–316
 - prominent T wave, 243–251
 - serial, acute MI, 43–49
- ST segment elevation
- AMI and non-AMI ECG syndromes, 609–612
 - left ventricular aneurysm, 238–242
 - reciprocal ST segment depression effects, 35–38
- T wave inversion, chest pain patient, 252–262
- Wellens' syndrome, 638–643
- Emergency department (ED)
- acute abdominal pain, visual analog scale for, 287–290
 - acute migraine headache, intramuscular droperidol for treatment of, 39–42
 - administration, contribution to inpatient hospital revenue, 30–31
 - analgesic use, patterns in trauma patients, 298–302
 - arterial hypertension, active epistaxis and, 92–95
 - brain SPECT, amnesia after mild head trauma, 310–313
 - chest pain unit, cholesterol screening in, 510–512
 - circadian pattern of emergency calls, 282–286
 - cognitive impairment in the elderly, multidimensional assessment, 332–335
- CT diagnosis, colonic diverticulitis, 551–557
- depression in elderly patients, validation of screening tool for, 99–102
- diagnosis of occult hip fracture, 234–237
- diffusion-weighted MRI in, as a screening tool for stroke, 327–331
- evaluation of altered mental status in, 613–617
- fight bite injuries treated in, 114–117
- full computerization in, feasibility, 118–121
- hepatitis C, prevalence and risk factors in, 476–480
- injury surveillance in, 181–187
- intravenous analgesia in, low incidence of nausea and vomiting, 604–608
- IV catheterization in, subcutaneous delivery of lidocaine before, 562–566
- narcotic-induced emesis in, gender differences, 151–154
- obstetric patient, blunt trauma, 524–527
- orthostatic hypotension, prevalence in syncope patients, 497–501

- pacemaker interrogation/reprogramming, pacemaker-mediated tachycardia, 336-339
- parenteral analgesic and sedative use, in the U. S., 83-87, 139-143
- pediatric
- growth plate injuries, orthopedic pitfalls, 50-54
 - parental expectations of care and charges, 601-603
 - rapid antigen test for GABHS performed by nurses (letter), 128-130
 - removal of esophageal foreign bodies, ketamine use in, 96-98
 - supracondylar humerus fractures, 544-550
- physician-nurse patient care team in, effects on patient satisfaction, 267-270
- procalcitonin levels, early indicator of sepsis, 202-206
- referrals by family physicians, outcomes, 144-150
- seizures, infants under 6 months, 518-520
- self-treatment with alternative medicine before, 473-475
- smoking-related illness in, attributable risk model, 161-164
- traumatic brain injury prevalence in, 177-180
- use by nonurgent patients (letter), 360-371
- utilization, changing demographics, 583-587
- utilization of head CT, poisoned patients, 212-217
- variable diagnostic approach, suspected pulmonary embolism, 5-9
- visits by males with hemophilia, 74-78
- Emergency medical condition, definition, prudent layperson, 10-13
- Emergency medicine
- high prevalence of pain in, 165-169
 - migraine headache, internationally accepted criteria for, 618-623
 - prehospital care, levalbuterol effect on patient parameters, 481-483
 - research training, pediatric emergency medicine fellows, 222-227
- Emergency physician, ordering of tests, administrative barriers to, 541-543
- Emergency services
- in Bulgaria, 122-125
 - depressed and nondepressed elders, socioeconomic and health status differences, 71-73
 - pain discrimination, isolated lower limb injuries, 502-505
 - resource reallocation, using computer simulation, 627-634
- Emergency vehicles, fire department response, scenes of motor vehicle crashes, 580-582
- Emphysematous pyelitis, ED ultrasound in (letter), 368-369
- Epidemiology, high prevalence of pain, emergency medical care, 165-169
- Epiphyseal injury, pediatric, orthopedic pitfalls in the ED, 50-54
- Epiploic appendagitis, primary (letter), 62
- Epistaxis, active, arterial hypertension and, ED presentation, 92-95
- Ethylene glycol, causing mesenteric ischemia (letter), 263
- Etiology code, geriatric trauma, substance use and injury patterns, 14-17
- Extradural hematoma, amphetamine abuse and (letter), 55-57
- Fentanyl, transdermal abuse and misuse (letter), 58-59
- Fetal trauma, monitoring of obstetrical patient, ED, 524-527
- Fever, children with UTI, utility of blood cultures in, 271-274
- Fight bite, orthopedic pitfalls in the ED, 114-117
- Foreign bodies
- esophageal, removal in pediatric ED, ketamine use in, 96-98
 - nasal, positive-pressure technique for removal, children, 103-104
- Fracture
- occult, hip, radiographic diagnosis in ED, 234-237
- parenteral analgesic and sedative use, ED patients in the U. S., 83-87, 139-143
- pediatric, orthopedic pitfalls in the ED, 50-54
- skull base, air in spinal canal after (letter), 64-65
- Gastroenteritis, acute, hemorrhagic corpus luteum presenting as (letter), 133
- Gender differences, narcotic-induced emesis, ED, 151-154
- Geriatrics
- cognitive impairment, elderly ED patients, 332-335
 - depressed and nondepressed elders, socioeconomic and health status differences, 71-73
- depression, validation of a brief screening tool, 99-102
- importance of the elderly in a trauma system, 108-111
- middle altitude trekkers, physical condition, 291-294
- trauma, substance use and injury patterns, 14-17
- Graduated compression stocking, prevention of economy class syndrome (letter), 378-380
- Group A beta-hemolytic streptococcal (GABHS) pharyngitis, rapid antigen test for, nurses in pediatric ED (letter), 128-130
- Growth plate injuries, pediatric, orthopedic pitfalls in the ED, 50-54
- Gunstock deformity, supracondylar humerus fractures, pediatric ED, 544-550
- Hazing, traumatic injuries caused by, 228-233
- Headache
- dural sinus thrombosis (letter), 568-569
 - migraine (see Migraine headache)
- Head injury
- amnesia, brain SPECT evaluation, ED, 310-313
 - stab wounds, protocol-driven CT for, 295-297
- Health insurance, parenteral analgesic and sedative use and, ED patients in the U. S., 83-87, 139-143
- Health status, depressed and nondepressed elders, 71-73
- Heart, contusion, diagnosed by cardiac troponin (letter), 382-383
- Heart failure, hypophosphatemia-induced (letter), 369-370
- Hematocrit, metabolic changes and, varied resuscitation strategies in hemorrhagic shock, canine model, 303-309
- Hematoma, subdural, rapid resolution by redistribution (letter), 376-377
- Hemoperitoneum
- blunt trauma, victims with normal vital signs and examination, 218-221
 - FAST portable ultrasound, blood missed on, 105-107
- Hemophilia, males, ED visits by, 74-78
- Hemoptysis, hemothorax and, caused by pleuropulmonary angi-sarcoma (letter), 374-375
- Hemorrhagic shock, varied resuscitation strategies in, canine model, 303-309
- Hemothorax, massive hemoptysis and, caused by pleuropulmonary angi-sarcoma (letter), 374-375
- Hepatitis C, prevalence and risk factors, ED patients, 476-480
- Hi disorders, slipped capital femoral epiphysis, ED, 484-487
- Hip, occult fracture, radiographic diagnosis in ED, 234-237
- Hospital admissions, ED, contribution to inpatient hospital revenue, 30-31
- Hospitalization, length of stay, patient satisfaction and, 506-509
- Hospital revenue, ED contributions to, 30-31
- Human-dynamic simulator, airway training for emergencies (letter), 495
- Hydroxychloroquine, overdose (letter), 377-378
- Hypertension, detection, active epistaxis and, ED, 92-95
- Hypophosphatemia, heart failure induced by (letter), 369-370
- Hypotension, life-threatening, from babesiosis hemolysis (letter), 367
- Hypothermia, electrocardiographic manifestations of, 314-316

- Infants
child safety seats, physician knowledge of, 32–34
seizures, ED, 518–520
- Infection, wounds, tap water irrigation and, 469–472
- Injury prevention
geriatric trauma, 14–17
surfing, 155–160
traumatic brain injury, prevalence in ED population, 177–180
- Injury surveillance, ED, 181–187
- International Headache Society, criteria for diagnosis of migraine, do ED patients meet criteria?, 618–623
- Internship and residency, emergency medicine and internal medicine, interpretation of ECG, 188–195
- Intra-aortic occlusion balloon, effects in external thoracic compression, during CPR, pig, 453–462
- Intracerebral hematoma, massive, amphetamine abuse and (letter), 55–57
- Intrapерitoneal fluid, importance of, blunt intra-abdominal injury patients, 595–600
- Intravenous cannulation, subcutaneous delivery of lidocaine, jet-injector, ED, 562–566
- Intravenous catheterization, insertion by residents (letter), 385–386
- Irrigation, tap water, lacerations, 469–472
- Jellyfish stings, cutaneous treatments, randomized paired comparison trial of, 624–626
- Ketamine
sedation, behavioral reactions after, age-based comparison, 463–468
use in removal of esophageal foreign bodies, pediatric ED, 96–98
- Lacerations, repair, tap water irrigation, 469–472
- Laryngeal tube, for supraglottic ventilation (letter), 57–58
- Left ventricular aneurysm, ST segment elevation and, 238–242
- Left ventricular dysfunction, severe reversible, induced by carbon monoxide intoxication (letter), 572–573
- Levalbuterol, effect on prehospital patient parameters, 481–483
- Lidocaine, subcutaneous delivery, jet-injector, before IV catheterization in ED, 562–566
- Life-threatening disease, prediction of, ambulance transported patients with chest pain, 588–594
- Limping, children, slipped capital femoral epiphysis, 484–487
- Lithium
accidental ingestion, nonconvulsive status epilepticus from (letter), 570–572
overdose, cardiotoxicity, hemodialysis reversal of (letter), 67–68
- Lymphoma, ileal, perforation causing abdominal crisis (letter), 136–137
- Magnetic resonance imaging (MRI)
diffusion-weighted, screening tool for stroke, ED, 327–331
occult hip fracture, ED, 234–237
- Malondialdehyde, total antioxidant capacity and, in acute abdominal pain, 79–82
- Marine envenomation, cutaneous treatments, randomized paired comparison trial of, 624–626
- Maxillofacial bleeding, life-threatening, transarterial embolization in (letter), 380–381
- Medical errors, ED, males with hemophilia, 74–78
- Mesenteric ischemia, ethylene glycol and (letter), 263
- Metformin, use of intravenous contrast and (letter), 374
- Methemoglobinemia, with aluminum phosphide poisoning (letter), 128–130
- Migraine headache
acute, intramuscular droperidol for treatment of, 39–42
internationally accepted criteria for, ED patients, 618–623
- Mini-Mental State Examination (MMSE), cognitive impairment, elderly ED patients, 332–335
- Monitoring, serial electrocardiography, acute MI, 43–49
- Morphine, intravenous analgesia in the ED, nausea and vomiting incidence, 604–608
- Motor vehicle accident
airbag injury, carotid artery dissection and stroke (letter), 372–374
fire department response to scene, 580–582
- Myocardial infarction
acute
baseline ST-vector magnitude to identify ECG injury in, 535–540
ECG ST segment elevation in, 609–612
presenting as subarachnoid hemorrhage (letter), 55
serial electrocardiography in, 43–49
ST segment elevation, reciprocal ST segment depression effects, 35–38
atypical site of pain (letter), 388
- Narcotics, emesis caused by, ED, gender differences, 151–154
- Nasal positive-pressure technique, removal of foreign body, children, 103–104
- Nausea, low incidence of, intravenous opiate analgesia in the ED, 604–608
- Neurosurgical referral, intracranial hemorrhage, prediction of outcome and, 26–29
- Nonconvulsive status epilepticus, from accidental lithium ingestion (letter), 570–572
- Nonsteroidal anti-inflammatory drugs (NSAIDs), impairment of platelet function, 275–281
- Oligoanalgesia, risk factors (editorial), 126
- Opiates, intravenous analgesia, ED administration of, nausea and vomiting incidence, 604–608
- Orthostatic hypotension, prevalence in syncope patients, ED patients, 497–501
- Ottawa Ankle Rules, assessment of injury, patient satisfaction and outcome after, 18–22
- Outcomes
intracranial hemorrhage, patient variables and prediction, 26–29
physician referrals to ED, 144–150
- Ovarian hyperstimulation syndrome, acute onset dyspnea in young woman (letter), 63–64
- Pacemaker, tachycardia mediated by, management by interrogation/reprogramming in ED, 336–339
- Pain
acute jellyfish stings, comparison trial of cutaneous treatments, 624–626
management, analgesia in isolated lower limb injuries, 502–505
measurement, visual analog scale for acute abdominal pain, ED, 287–290
myocardial infarction, atypical site of (letter), 388
prevalence, emergency medical care, 165–169
- Pain control, subcutaneous lidocaine delivery, jet-injector, before IV catheterization in ED, 562–566
- Pancreatitis, acute, spontaneous splenic rupture in (letter), 493–494
- Paramedics, treatment of congestive heart failure, standing field treatment protocols, 23–25
- Parental expectations, care and charges, tertiary care pediatric ED, 601–603
- Patient care team, physician-nurse, effects on patient satisfaction, 267–270
- Patient satisfaction
with emergency physicians, perceived length of stay and, 506–509
physician-nurse patient care team and, academic ED, 267–270

- Patient transfers, intracranial hemorrhage, 26–29
Patterns, monthly/daily, occurrence of cardiac arrest, 513–517
Pediatrics
child safety seats, physician knowledge of, 32–34
ED nurses, rapid antigen test for GABHS (letter), 128–130
emergency medicine fellows, research training among, 222–227
febrile children with UTI, utility of blood cultures in, 271–274
growth plate injuries, orthopedic pitfalls in ED, 50–54
insulin-dependent diabetes, focal neurological defects in (letter), 567–568
ketamine sedation, behavioral reactions after, age-based comparison, 463–468
nasal foreign body removal, nasal positive-pressure technique for, 103–104
parental expectations of care and charges, tertiary care ED, 601–603
pneumonia, pulse oximetry in exclusion of, 521–523
removal of esophageal foreign bodies, ketamine use in ED, 96–98
slipped capital femoral epiphysis, ED, 484–487
supracondylar humerus fractures, ED, 544–550
Phencyclidine, false-positive testing with HPLC, dextromethorphan and (letter), 61–62
Pyxial injury, pediatric, orthopedic pitfalls in the ED, 50–54
Physicians
family practice, referrals to ED, outcomes, 144–150
knowledge of child safety seats, 32–34
Physostigmine, use in diphenhydramine overdose (letter), 569–570
Platelet function, valdecoxib effects, 275–281
Pneumonia, pulse oximetry in exclusion of, children, 521–523
Pneumonia Severity Index, decision-making tool to guide patient disposition (letter), 387–388
Poisoning
aconitine, reversed by charcoal hemoperfusion (letter), 66–67
aluminum phosphide, methemoglobinemia with (letter), 130–132
use of head CT, ED, 212–217
Prediction, acute coronary syndrome, assessment by dispatchers and ambulance crew, 196–201
Pregnancy
ectopic
isolated fluid in the cul-de-sac, 1–4
progesterone as predictor, after indeterminate ultrasound, 575–579
wide-QRS complex tachycardia during, cardioversion treatment (letter), 492–493
Prehospital care
diazepam rectal gel, stability, ambulance-like environments, 88–91
field triage, trauma patients, 170–176
levalbuterol, effect on patient parameters, 481–483
resource reallocation, emergency medical services, 627–634
Prevention, primary, ED-based chest pain unit, cholesterol screening, 510–512
Procalcitonin, levels, early indicator of sepsis, 202–206
Progesterone, predictor of ectopic pregnancy, after indeterminate ultrasound, 575–579
Protein C deficiency, thalamic hemorrhage and (letter), 381–382
Prudent layperson, definition of an emergency medical condition, 10–13
Psychosocial stress, acute, cardiac events and, 488–491
Public health, middle altitude trekkers, physical condition, accidents and, 291–294
Pulmonary edema, anaphylactic shock and, after single oral dose of acetazolamide (letter), 371–372
Pulmonary embolism, variable diagnostic approach, ED, 5–9
Pulse oximetry, exclusion of pneumonia, in children, 521–523
Pyelonephritis, febrile children with UTI, utility of blood cultures in, 271–274
QRS-vector difference, suspected acute myocardial infarction, 535–540
Racial differences, parenteral analgesic and sedative use, ED patients in the U.S., 83–87, 139–143
Radiography
chest, pulse oximetry in exclusion of pneumonia, children, 521–523
CT and, stab wounds of the head, 295–297
Radio-medical advice, Singapore General Hospital experience, 349–351
Rapid antigen test, GABHS, nurses in pediatric ED (letter), 128–130
Reagent strips, diagnosis of urinary tract infection, high-risk population, 112–113
Referrals and consultations, ED, by family physicians, outcomes, 144–150
Research, training in pediatric emergency medicine fellows, 222–227
Resuscitation
fluid, canine model of hemorrhagic shock, 303–309
societal opinions on CPR, 207–211
Reticulocyte count, for sickle cell crisis in ED (letter), 69–70
Risk factors, hepatitis C, ED patients, 476–480
Risperidone, accidental overdose, respiratory depression after (letter), 570
Salter-Harris, pediatric growth plate injuries, orthopedic pitfalls in ED, 50–54
Screening
cholesterol, ED-based chest pain unit, 510–512
primary, multiple trauma, spiral CT, 528–534
validation of, depression in elderly ED patients, 99–102
Sedation
combined with parenteral analgesia, use in ED patients in the U.S., 83–87, 139–143
ketamine, behavioral reactions after, age-based comparison, 463–468
use in removal of esophageal foreign bodies, pediatric ED, 96–98
Seizures
diazepam rectal gel for, stability, ambulance-like environments, 88–91
infants under 6 months, ED, 518–520
Self-treatment, alternative medicine, before presenting to ED, 473–475
Sepsis, procalcitonin levels as early indicator, 202–206
Seroepidemiologic studies, hepatitis C, ED patients, 476–480
Shoulder, simultaneous bilateral posterior dislocation of (letter), 127–128
Sickle cell anemia, crisis, reticulocyte count use in (letter), 69–70
Sigmoid mesocolic hernia, emergency abdominal surgery for (letter), 137–138
Single photon emission computed tomography (SPECT), brain, amnesia after mild head trauma, 310–313
Slipped capital femoral epiphysis, ED, 484–487
Smoking, illness related to, impact in the ED, 161–164
Socioeconomic factors, depressed and nondepressed elders, 71–73
Spigelian hernia, ultrasound-guided reduction, bedside emergency (letter), 59–61
Spinal canal, air, after skull base fracture (letter), 64–65
Spleen, spontaneous rupture, in recurrent acute pancreatitis (letter), 493–494
Sports, water, surfing injuries, 155–160

- Standing field treatment protocols, congestive heart failure, paramedics, 23–25
- Stroke**
- carotid artery dissection and, airbag injury (letter), 372–374
 - diffusion-weighted MRI as screening tool, ED, 327–331
- ST segment**
- elevation
 - AMI and non-AMI ECG syndromes, 609–612
 - electrocardiographic diagnosis, reciprocal ST segment depression effects, 35–38
 - left ventricular aneurysm, 238–242
 - serial electrocardiography, acute MI, 43–49
 - monitoring, baseline ST-vector magnitude for ECG injury, 535–540
- Substance abuse. see also Drug overdose**
- amphetamines, massive intracerebral hematoma and extradural hematoma (letter), 55–57
 - geriatric, injury patterns and, 14–17
 - transdermal fentanyl (letter), 58–59
- Supracondylar humerus fractures, pediatric, ED, 544–550**
- Surfing, injuries, 155–160**
- Symptoms, emergency medical condition, definition for prudent layperson, 10–13**
- Syncope, orthostatic hypotension in, ED patients, 497–501**
- Tachycardia**
- pacemaker-mediated, management by interrogation/reprogramming in ED, 336–339
 - wide-QRS complex, during pregnancy (letter), 492–493
- Taxonomy, high prevalence of pain, emergency medical care, 165–169**
- Thalamic hemorrhage, protein C deficiency with (letter), 381–382**
- Thoracic aorta, proximal dissection, new ultrasonographic sign in subxiphoid view, 344–348**
- Time series, calendar patterns, occurrence of cardiac arrest, 513–517**
- Tobacco smoking, illness related to, impact in the ED, 161–164**
- Total antioxidant capacity, malondialdehyde and, in acute abdominal pain, 79–82**
- Transarterial embolization, in life-threatening maxillofacial bleeding (letter), 380–381**
- Transcatheter arterial embolization, spiral CT, screening for multiple trauma, 528–534**
- Trauma**
- annotated bibliography of the literature—2001, 352–366
 - atlanto-occipital dislocation (letter), 133–135
 - blunt
 - aortic, helical CT diagnosis, 558–561
 - dissection of proximal thoracic aorta, new ultrasonographic sign, 344–348
 - early-phase dynamic spiral computed tomography, 528–534
 - hemoperitoneum in patients with normal vital signs, 218–221
 - intra-abdominal injury, intraperitoneal fluid in, 595–600
 - intraperitoneal blood missed on FAST portable ultrasound examination, 105–107
 - obstetrical patient, monitoring practices in ED, 524–527
 - brain injury, prevalence in ED population, 177–180
 - field triage in, prehospital index improvement, 170–176
 - geriatric, substance use and injury patterns, 14–17
 - injuries caused by hazing practices, 228–233
 - patterns of analgesic use, ED patients, 298–302
 - surfing injuries, 155–160
- Trauma system, importance of the elderly in, 108–111**
- Triage, field, trauma patients, prehospital index, 170–176**
- Troponin, cardiac, diagnosis of cardiac contusion (letter), 382–383**
- T wave**
- inversion
 - electrocardiographic, chest pain patient, 252–262
 - in Wellens' syndrome, 638–643
 - prominent, electrocardiographic differential diagnosis, 243–251
- Ultrasonography**
- blunt intra-abdominal injury patients, importance of intraperitoneal fluid, 595–600
 - ectopic pregnancy, isolated fluid in the cul-de-sac, 1–4
 - emergency
 - dissection of the proximal thoracic aorta, 344–348
 - emphysematous pyelitis (letter), 368–369
 - emergency portable
 - blood missed on, hemoperitoneum, 105–107
 - hemoperitoneum in patients with normal vital signs, 218–221
 - reduction of Spigelian hernia (letter), 59–61
 - goal-directed, ED (letter), 132–133
 - indeterminate, ectopic pregnancy, progesterone and, 575–579
- Ultraviolet dye, masquerading as corneal abrasion (letter), 383–384**
- Unconsciousness, dissecting aortic aneurysm and (letter), 58**
- Urinary tract infection**
- febrile children, utility of blood cultures in, 271–274
 - reagent strip diagnosis of, high-risk population, 112–113
- Valdecoxib, platelet function and, 275–281**
- Vectorcardiography, baseline ST-vector magnitude, suspected acute myocardial infarction, 535–540**
- Ventilation, supraglottic, laryngeal tube for (letter), 57–58**
- Ventricular arrhythmia, in acute aconitine poisoning, reversed by charcoal hemoperfusion (letter), 66–67**
- Ventricular flutter, adenosine-induced, ethanol-intoxicated patient (letter), 133–135**
- Violence, traumatic injuries caused by hazing, 228–233**
- Volkmann's fracture, pediatric ED, 544–550**
- Vomiting**
- low incidence of, intravenous opiate analgesia in the ED, 604–608
 - narcotic-induced emesis, ED, gender differences, 151–154
- Weather, heavy snowfall, falls from rooftops after, 635–637**
- Wellens' syndrome, ECG manifestations, 638–643**
- Wounds and injuries**
- elderly patients, importance in a trauma system, 108–111
 - falls from rooftops, after heavy snowfall, 635–637
 - isolated lower limb injuries, pain management, 502–505
 - lacerations, tap water irrigation, 469–472
 - stab wounds of the head, protocol-driven CT scanning in, 295–297